

Referentielijst van gerelateerde websites, rapporten en artikelen - consumentenblootstelling

Opgesteld op 30 Maart 2012.

Api A and Vey M. (2008) Dermal Sensitization Quantitative Risk Assessment for Fragrance Regulatory Toxicology and Pharmacology, 52, 1-2. Ingredients.Special Issue on QRA.

Basketter DA., Clapp CJ., Safford BJ., Jowsey IR., McNamee P., Ryan C., Gerberick FG (2008) Preservatives and skin sensitization quantitative risk assessment. Dermatitis 19, 20-27.

Brasser P., Wijnhoven SWP (2011). Creation and detection of nanoparticles in air A literature review. RIVM Letter report 34037005/2011.

Bremmer H.J., Van Veen, M.P. (2002). Children's Toys Fact Sheet. RIVM report 612810012/2002

Bremmer HJ, Prud'homme de Lodder, LCH., van Engelen, JGM (2006) General Fact Sheet Limiting conditions and reliability, ventilation, room size, body surface area. Updated version for ConsExpo 4, RIVM report 320104002/2006.

Bremmer HJ, Prud'Homme de Lodder LCH and van Engelen JGM (2006). Cosmetics Fact Sheet. To assess the risks for the consumer. Updated version for ConsExpo 4. RIVM report 320104001/2006.

Bremmer HJ, Blom wM, van hoeven-Arentzen, Prud'Homme de Lodder LCH, van Raaij MTM, Streatmans EHF, van Veen MP and van Engelen JGM (2006). Pest Control Products Fact Sheet. To assess the risks for the consumer. Updated version for ConsExpo 4. RIVM report 320005002/2006.

Bremmer HJ and van Engelen JGM (2007). Paint Products Fact Sheet. To assess the risks for the consumer. Updated version for ConsExpo 4. RIVM report 320104008/2007.

Bruinen de Bruin Y, Hakkinen PB, Lahaniatis M, Papameletiou D, Del Pozo C, Reina V, Van Engelen J, Heinemeyer G, Viso AC, Rodriguez C, Jantunen M: Risk management measures for chemicals in consumer products: documentation, assessment, and communication across the supply chain. J Expo Sci Environ Epidemiol; 2007 Dec;17 Suppl 1:S55-66

Chen BT., Afshari A., Stone S., Jackson M., Schwegler-Berry D., Fraxer DG., Castranova V., Thomas T. (2010) Nanoparticles-containing spray can aerosol: characterisation, exposure assessment, and generator design. Inhalation Toxicology 22, 1072-1082.

Dekkers S. Prud'homme De Lodder LCH., de Winter R., Sips AJAM., de Jong, W.H (2007). Inventory of consumer products containing nanomaterials. RIVM letter report 340120001/2007.

Delmaar, JE. 2010. Emission of chemical substances from solid matrices. RIVM Report 320104011/2010.

Delmaar JE and Bremmer HJ (2009). The ConsExpo spray Model. Modeling and experimental validation of the inhalation exposure of consumers to aerosols from spray cans and trigger sprays. RIVM report 320104005/2009.

- Delmaar JE (2010). Comparing the BAMA indoor air and ConsExpo inhalation models. RIVM letter report 320104009/2010.
- Delmaar JE and Bremmer HJ (2010). New default values for the spray model. RIVM, March 2010. Available at www.ConsExpo.nl
- Delmaar J.E. Park, M.V.D.Z., Engelen, J.G.M. van. (2004), ConsExpo 4 Consumer exposure and uptake models, RIVM report 320104004/ 2004.
- Delmaar, J.E., M.V.D.Z. Park, J.G.M. van Engelen (2005). ConsExpo 4.0, Consumer Exposure and Uptake Models. Program Manual. RIVM Report 320104004/2005.
- Delmaar J.E., van Engelen J.G.M., (2006) Aggregating human exposure to chemicals – An overview of tools and methodologies. RIVM report 630700001/2006.
- Delmaar JE (2010). Comparing the indoor air and ConsExpo inhalation models. RIVM letter report 320104009/2010, National Institute for Public Health and the Environment, Bilthoven
- EC: Technical Guidance Document on Risk Assessment in support of Directive 93/67/EEC on risk assessment for new notified substances, Commission Regulation (EC) No. 1488/94 on risk assessment for existing substances (Parts I, II, III and IV) and Directive 98/8/EC of the European Parliament and the Council concerning the placing of biocidal products on the market. European 2003.
- ECHA (2010). Guidance on information requirements and chemical safety assessment. Chapter R.15: Consumer exposure estimation. ECHA-10-G-03-EN European Chemicals Agency
- Eickmann U., Eickmann J., Tischer M. (Exposure to sprays –comparison of the available exposure models) *Gefahrstoffe* 67 (2007) Nr. 7/8 - Juli/August - Reinhaltung der Luft.
- Ezendam J, te Biesebeek JD and Wijnhoven SWP (2009). The presence of fragrance allergens in scented consumer products. RIVM Letter report 340301002/2009
- Ezendam J., Ter Burg W., Wijnhoven SWP. (2011) Inhalation Exposure to fragrance allergens. Are consumers at risk for respiratory allergies? RIVM report 340301004/2011.
- Guillam MT, Thomas N, Nedellec, V, Derbez M, Kirchner S, Pédrone G and Ségala C (2010). Children's indoor leisure activities in France: Time budget data for indoor air risk assessment. *Volume 16, Issue 5, 2010, Pages 977-988.*
- Hahn S, Schneider K, Gartiser S, Heger W, Mangelsdorf I: Consumer exposure to biocides--identification of relevant sources and evaluation of possible health effects. *Environ Health*; 2010;9:7
- Hall B., Steiling W., Safford B., Coroama M., Tozer S., Firmani C., McNamara C., Gibney M.(2011). European consumer exposure to cosmetic products, a framework for conducting population exposure assessments Part 2. *Food and Chemical Toxicology* 49, 408-422.
- Hall B., Tozer S., Safford B., Coroama M., Steiling W., Leneveu-Duchemin MC., McNamara C., Gibney M.(2007) European consumer exposure to cosmetic products, a framework for conducting population exposure assessments. *Food and Chem. Tox* 45,2097-2108.

Jayjock MA, Chaisson CF, Franklin CA, Arnold S, Price PS: Using publicly available information to create exposure and risk-based ranking of chemicals used in the workplace and consumer products. *J Expo Sci Environ Epidemiol*; 2009 Jul;19(5):515-24.

Loretz LJ., Api AM., Barraj LM., Burdick J., Dressler WE., Gettings SD., Han Hsu H., Pan YH., Re TA., Renskers KJ., Rothenstein A., Scrafford CG., Sewall C. (2005) Exposure data for cosmetic products: lipstick, body lotion, and face cream. *Food Chem Toxicol.* 43 (2) 279-291.

Loretz LJ., Api AM., Barraj L., Burdick J., Davis de A., Dressler W., Gilberti E., Jarret G., Mann S., Laurie, Pan YH., Re TA., Renskers KJ., Scrafford C., Vater S. (2006) Exposure data for personal care products: hairspray, spray perfume, liquid foundation, shampoo, body wash, and solid antiperspirant. *Food Chem Toxicol.* 44 (12) 2008-2018.

Loretz LJ., Api AM., Babcock L., Barraj LM., Burdick J., Cater KC., Jarrett G., Mann S. Pan YH., Re TA., Renskers KJ., Scrafford CG.(2008) Exposure data for cosmetic products:facial cleanser, hair conditioner and eye shadow. *Food Chem Toxicol.* 46 (5) 1516-1524.

Lorenz et al (2010) Nanosized aerosols from consumer sprays: experimental analysis and exposure modeling for four commercial products. *J. Nanopart. Res.* DOI10.1007/s1105051-0256-8

Martin S, Westphal D, Erdtmann-Vourliots M, Dechet F, Schulze-Rosario C, Stauber F, Wicke H and Cheter G (2008). Guidance for Exposure and Risk Evaluation for Bystanders and Residents exposed to Plant Protect products during and after Application. *J. Verbr. Lebensm.* 3 (2008): 272-281

McNamara C, Rohan D, Golden D, Gibney M, Hall B, Tozer S, Safford B, Coroama M, Leneveu-Duchemin MC and Steiling W: Probabilistic modeling of European consumer exposure to cosmetic products. *Food and Chemical Toxicology* 45 (2007) 2086–2096.

Nielsen E and Iskov Kopp T NEGh (2010). Existing Default Values in Exposure Assessment. A Nordic Exposure Group Project (Final draft report). Division of Toxicology and Risk Assessment National Food Institute, Technical University of Denmark

Oomen AG., Bennink M., Van Engelen JGM., Sips AJAM. (2011) Nanomaterial in consumer products- Detection, characterisation and interpretation. Report 320029001/2011

Park, M.V.D.Z., Delmaar J.E., van Engelen, J.G.M (2006).Comparison of consumer exposure modelling tools. Inventory of possible improvements of ConsExpo. RIVM report 320104006/2006.

Pronk M.E.J., Wijnhoven S.W.P., Bleeker E.A.J, Heugens E.H.W., Peijnenburg W.J.G.M., Luttik R., Hakkert B.C. Nanomaterials under REACH, Nanosilver as a case study. RIVM Report 601780003/2009

Prud'Homme de Lodder LCH, Bremmer HJ and van Engelen JGM (2006). Cleaning Products Fact Sheet. To assess the risks for the consumer. RIVM report 320104003/2006.

Prud'Homme de Lodder LCH, Bremmer HJ, Pelgrom SMGJ, Park MVDZ and van Engelen JGM (2006). Disinfectant Products Fact Sheet. To assess the risks for the consumer. RIVM report 320005003/2006.

Quadros ME., Marr LC. (2011) Silver nanoparticles and total aerosols emitted by nanotechnology-related consumer spray products. *Environ Sci Technol.* 2011 Nov 9.

Schets MF, Schijven JF and de Roda Husman AM 2011. Exposure assessment for swimmers in bathing waters and swimming pools. *Water Research* 45 (2011) 2392-2400.

Schuur AG, van Engelen JGM and Delmaar JE (2009). Geaggregeerde blootstelling. Gebruik in verschillende kaders en mogelijkheden. RIVM briefrapport 320015002/2009.

Technical notes for Guidance (TNsG) (2007). Directive 98/8/EC of the European Parliament and of the Council concerning the placing of biocidal products on the market. EUROPEAN COMMISSION JOINT RESEARCH CENTRE EUR 20418 EN.

Ter Burg W, Bremmer HJ and van Engelen JGM (2007). Do-It-Yourself Products Fact Sheet. To assess the risks for the consumer. RIVM report 320104007/2007.

Ter Burg W., Bremmer H.J., Van Engelen J.G.M. (2007) Oral exposure of children to chemicals via hand-to-mouth contact. RIVM Report 320005004/2007.

Ter Burg W, te Biesebeek JD, Wijnhoven SWP and van Engelen JGM (2011). Risico's van spuittoepassingen. Ontwikkeling van een screeningsinstrument. RIVM report 320104012/2011

Ter Burg W, Wijnhoven SWP and Schuur AG (2010). Observations on the methodology for quantitative risk assessment of dermal allergens. RIVM report 320015003/2010

Trudel D, Horowitz L, Wormuth M, Scheringer M, Cousins IT, Hungerbühler K: Estimating consumer exposure to PFOS and PFOA. *Risk Anal*; 2008 Apr;28(2):251-66

Tuinman, I.L. (2004). Aerosols from Spray Cans and Trigger Sprays. Particle Size Distributions and Spreading in a Closed Environment. TNO report PML 2004-C106.

Tuinman, I.L. (2007). Particle size distributions of aerosols from spray cans and trigger sprays. TNO report august 2007.

Van Engelen, J.G.M., Prud'homme de Lodder, L.C.H.. (2007) Non-food products: How to assess children's exposure? RIVM report 320005005/2007.

Van Engelen JG, Heinemeyer G, Rodriguez C: Consumer exposure scenarios: development, challenges and possible solutions. *J Expo Sci Environ Epidemiol*; 2007 Dec;17 Suppl 1:S26-33.

Van Engelen JGM, Hakkinen PJ, Money C, Rikken MGJ and Vermeire TG (2007). Human exposure assessment. In: Leeuwen CJ van, Vermeire TG, eds. *Risk assessment of chemicals; an introduction*. 2nd ed. Dordrecht: Springer, 2007; 195-226 Art.nr. 2007584.

Van Engelen, J.G.M., Park, M.V.D.Z., Janssen, P.J.C.M, Oomen, A.G., Brandon, E.F.A., Bouma, K., Sips A.J.A.M., Van Raaij, M.T.M. (2008) Chemicals in Toys A general methodology for assessment of chemical safety of toys with a focus on elements. RIVM report 320003001/2008.

Weegels, MF., Van Veen MP. (2001). Variation of consumer contact with household products: a preliminary investigation. *Risk Analysis*, 21 499-511

Wijnhoven SWP, Ezendam J, Schuur AG, van Loveren H. and van Engelen JGM (2008). Allergens in consumer products. RIVM report 340370001/2008

Wijnhoven SWP, Dekkers S, Hagens WI and de Jong, WH (2009). Exposure to nanomaterials in consumer products. RIVM report 320025001/2009.

Wijnhoven S, Dekkers S, Kooi M, Jongeneel R and de Jong W (2010). Nanomaterials in consumer products Update of products on the European market in 2010. RIVM report 340370003/2010.

Wijnhoven SWP (2011). The current position of exposure research on nanomaterials in air- Report on relevant projects, networks and workshops. RIVM Letter report 340370004/2011.

Wolterink G, Van de Ven, B.M., ter Burg W., Verkaik-Kloosterman, J. (2009) Aggregate exposure to chemicals. RIVM report 320108002/2009.

Andere bronnen modellen

<http://www.ecetoc.org/tra>

<http://www.esig.org/en/regulatory-information/reach/ges-library/consumer-gess>

http://www.aise.eu/reach/?page=exposureass_sub3

<http://www.bama.co.uk/>

<http://www.thelifelinegroup.org/>

<http://www.eurofins.com/product-testing-services/services/research--development/projects-on-skin-exposure-and-protection/riskofderm---skin-exposure-and-risk-assessment.aspx>

Andere bronnen blootstellingsfactoren

<http://expofacts.jrc.ec.europa.eu/>

<http://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=236252>

<http://www.epa.gov/chadnet1/>

[http://www.health.gov.au/internet/main/publishing.nsf/Content/FAC004DCE7F63EF1CA25784000206980/\\$File/AEFG.pdf](http://www.health.gov.au/internet/main/publishing.nsf/Content/FAC004DCE7F63EF1CA25784000206980/$File/AEFG.pdf)

<http://www.who.int/ipcs/methods/harmonization/en/>

<http://www.math.uni-bremen.de/riskom/xprob/>

<http://www.umweltbundesamt.de/gesundheit/methoden/exposition.htm>

<http://expofacts.jrc.ec.europa.eu/docs/reference.pdf>