

**Tabel 1** Associatie tussen karakteristieken inderpatiënten en uitvoering contactonderzoek

Karakteristieken inderpatiënten	CO gedaan/ Totaal inderpatiënten (%)	Univariabel		Multivariabel	
		OR (95% CI)	p-waarde	Gecorrigeerde OR (95% CI)	p-waarde
Totaal	710/909 (78)				
Geslacht					
Man	416/546 (76)	1			
Vrouw	294/363 (81)	1.33 (0.96-1.85)	0.087		
Leeftijd (jr)					
0-14	21/33 (64)	0.48 (0.23-1.02)	0.056		
15-34	250/333 (75)	0.83 (0.58-1.18)	0.288		
35-64	281/358 (78)	1			
65+	158/185 (85)	1.60 (0.99-2.59)	0.054		
Etniciteit					
Autochtoon	248/294 (84)	1		1	
Immigrant	462/615 (75)	0.56 (0.39-0.81)	0.002	0.60 (0.40-0.92)	0.018
Regio					
Urbaan	206/246 (84)	1		1	
Ruraal	504/663 (76)	0.62 (0.42-0.90)	0.013	0.72 (0.47-1.10)	0.124
Smear positief					
Nee	313/479 (65)	1		1	
Ja	397/430 (92)	6.38 (4.27-9.54)	<0.001	3.52 (2.23-5.55)	<0.001
Caverneuze tbc					
Nee	534/718 (74)	1		1	
Ja	176/191 (92)	4.04 (2.33-7.03)	<0.001	1.65 (0.89-3.06)	0.113
Kweek positief					
Nee	80/148 (54)	1		1	
Ja	630/760 (83)	4.12 (2.83-5.99)	<0.001	2.71 (1.76-4.16)	<0.001
Opsporing					
Passief	598/696 (86)	1		1	
Actief	112/213 (53)	0.18 (0.13-0.26)	<0.001	0.38 (0.26-0.57)	<0.001
Risicogroep					
Nee	451/522 (86)	1		1	
Ja	259/387 (67)	0.32 (0.23-0.44)	<0.001	0.44 (0.30-0.65)	<0.001

Afkortingen: 95% CI = 95% betrouwbaarheidsinterval, CO = Contactonderzoek, OR = odds ratio