




Vaccination against COVID-19



What is COVID-19?

The coronavirus can make you ill. Symptoms may include: runny nose, sneezing, coughing, sore throat, difficulty breathing, fever, or sudden loss of smell or taste.

Severe symptoms

Some people become seriously ill from COVID-19. In addition to mild symptoms, they also develop high fever, persistent fatigue or shortness of breath. COVID-19 can also lead to death.

The virus is more dangerous to people over 60 and people who already have health problems, such as lung disease or heart disease.

Who is the vaccination for?

Everyone will be invited

The following groups will be invited first:

- ✓ people who are in medical risk groups
- ✓ people over the age of 60
- ✓ care workers

Are you pregnant? If so, it is recommended to postpone the vaccination until after your pregnancy.



Vaccination protects



Protection

The vaccination protects you against COVID-19. If you do get COVID-19 after being vaccinated, your illness will be less severe.

Two injections

You need two vaccinations for effective protection. You will get the second injection three to four weeks after the first injection. You will get both injections in your upper arm.

Questions?



Do you have any questions or doubts? Or would you like more information? Call 0800-1351 or go to www.coronavaccinatie.nl.

Vaccination is safe



Extensively tested

The vaccination has been tested extensively and assessed as safe.

Side-effects

Many people develop side-effects. Some of them being a headache, muscle aches, fatigue or a sore arm. These will go away within a few days.